

**Nome:** Marta  
**Cognome:** Putzu  
**nata a:** Brescia il 29/04/1976  
**Residente a:** BRESCIA, via A. Cantore, 46  
**Tel Domicilio:** +39 030 3385725  
**Cell:** +39 338 9774428  
**e-mail:** martaputzu@gmail.com

## **ESPERIENZA LAVORATIVA**

**1/2007 – 8/2008** Dirigente Medico I livello presso UO Anestesia e Rianimazione Ospedale E. Franchini Montecchio Emilia (RE)

**8/2008 – ad oggi** Dirigente Medico I livello presso Il Servizio Anestesia e Rianimazione Spedali Civili di Brescia

## **ISTRUZIONE E FORMAZIONE**

**1995** Diploma di Maturità Classica presso il Liceo Ginnasio “Arnaldo” di Brescia.

**1998 - 2001** internato presso la III Divisione di Chirurgia Generale e Vascolare degli Spedali Civili di Brescia (direttore Prof S.M. Giulini).

**9/10/2001** Laurea in Medicina e Chirurgia conseguita presso l’Università degli Studi di Brescia con votazione 110/110.

**03/2002 – 10/2002** frequenza come medico interno presso il Dipartimento di Anestesia e Rianimazione dell’ospedale S. Raffaele di Milano (direttore Prof G. Torri).

**11/2002 – 09/2004** specializzanda in Anestesia e Rianimazione presso l’Università Vita-Salute di Milano (direttore Prof. G. Torri).

**10/2004 – 10/2006** specializzanda in Anestesia e Rianimazione presso l’Università degli Studi di Parma (direttore Prof. G. Fanelli) .

**30/10/2004** Specializzazione in Anestesia e Rianimazione con votazione: 50/50 e lode.

Durante la propria formazione specialistica ha maturato esperienza clinica presso le divisioni chirurgiche di chirurgia generale, urologia, chirurgia toracica, chirurgia vascolare, cardiocirurgia e cardiologia interventistica, neurochirurgia, chirurgia infantile, otorinolaringoiatria, ostetricia e ginecologia, ortopedia (con particolare riferimento all’anestesia locoregionale), ed ha frequentato le aree critiche di cardiorianimazione, neurorianimazione, rianimazione generale e pronto soccorso.

Ha inoltre lavorato nel servizio APS (Acute Pain Service).

In data 21/10/2005 ha conseguito la certificazione dell' American College of Surgeons relativa al corso "Advanced Trauma Life Support" (ATLS®)

E' autrice di 23 pubblicazioni del settore scientifico disciplinare attinente (vedi Elenco allegato).

## ELENCO PUBBLICAZIONI SCIENTIFICHE

### ARTICOLI SU RIVISTE INDICIZZATE

1. Casati A, Vinciguerra F, Cappelleri G, Aldegheri G, Grispigni C, **Putzu M**, Rivoltini P. Levobupivacaine 0.2% or 0.125% for continuous sciatic nerve block: a prospective, randomized, double-blind comparison with 0.2% ropivacaine. *Anesth Analg* 2004;99:919-23.
2. Casati A, Vinciguerra F, Spreafico E, Marchetti C, **Putzu M**, Siliotti R, Mondello E. Cardiovascular changes after extraglottic airway insertion: a prospective, randomized comparison between the laryngeal mask or the new PAXpress. *J Clin Anesth* 2004;16:342-6.
3. Casati A, Vinciguerra F, Spreafico E, **Putzu M**, Mamo D, Marchetti C. The new PA(Xpress) airway device during mechanical ventilation in anaesthetized patients: a prospective, randomized comparison with the laryngeal mask airway. *Eur J Anaesthesiol* 2004;21:667-9.
4. Zangrillo A, Landoni G, **Putzu M**. Which troponin I peak concentration? *Anesthesiology* 2004;100:1620.
5. Casati A, Vinciguerra F, Cappelleri G, Aldegheri G, Fanelli G, **Putzu M**, Chelly JE. Adding clonidine to the induction bolus and postoperative infusion during continuous

femoral nerve block delays recovery of motor function after total knee arthroplasty. *Anesth Analg* 2005;100:866-72.

6. Casati A, **Putzu M**. Anesthesia in the obese patient: pharmacokinetic considerations. *J Clin Anesth* 2005;17:134-45.

7. Casati A, **Putzu M**, Vinciguerra F. A clinical comparison between bispectral index (BIS) and high frequency EEG signal detection (SNAP). *Eur J Anaesthesiol* 2005;22:75-7.

8. Casati A, **Putzu M**. Bupivacaine, levobupivacaine and ropivacaine: are they clinically different? *Best Pract Res Clin Anaesthesiol* 2005;19:247-68.

9. Casati A, Vinciguerra F, Santorsola R, Aldegheri G, **Putzu M**, Fanelli G. Sciatic nerve block with 0.5% levobupivacaine, 0.75% levobupivacaine or 0.75% ropivacaine: a double-blind, randomized comparison. *Eur J Anaesthesiol* 2005;22:452-6.

10. Casati A, Spreafico E, **Putzu M**, Fanelli G. New technology for noninvasive brain monitoring: continuous cerebral oximetry. *Minerva Anesthesiol* 2006;72:605-25.

11. Casati A, Squicciarini G, Malagutti G, Baciarello M, Fanelli A, **Putzu M**. Transcutaneous monitoring of carbon dioxide partial pressure in the aged patient: a prospective, clinical comparison with end-tidal monitoring. *J Clin Anesth* 2006;18:436-440

12. Casati A, Fanelli G, Danelli G, Berti M, Ghisi D, Brivio M, **Putzu M**, Barbagallo A. Spinal anesthesia with lidocaine or preservative-free 2-chlorprocaine for outpatient knee arthroscopy: a prospective, randomized, double-blind comparison. *Anesth Analg* 2007Apr;104(4):959-64.

13. **Putzu M**, Casati A†, Berti M, Paglierini G, Fanelli G. Clinical complications, monitoring and management of perioperative mild hypothermia: anesthesiological features. *Acta Biomed* 2007; 78: 000-000

## ABSTRACT SU RIVISTE INDICIZZATE

1. C  
appelleri G, Vinciguerra F, Manzoni P, **Putzu M**, Casati A. A clinical comparison between ropivacaine and lidocaine for continuous interscalene brachial plexus block after major shoulder surgery. *Minerva Anesthesiol* 2002;68(S.2):158.
2. C  
asati A, Spreafico E, Manzoni P, Vinciguerra F, **Putzu M**, Marchetti C, Cappelleri G. Continuous interscalene block: lidocaine versus ropivacaine. *Reg Anesth Pain Med* 2003;28:A23.
3. M  
anzoni P, Spreafico E, Aldegheri G, **Putzu M**, Bignami E, Casati A. Continuous interscalene block: lidocaine versus ropivacaine. *Eur J Anaesthesiol* 2003;20(Suppl 30):A-368.
4. B  
ergonzi P, Albertin A, Mamo D, Cerchierini E, **Putzu M**, Casati A. Remifentanil augments block of sympathetic responses to skin incision during sevoflurane anesthesia in adults. *Eur J Anaesthesiol* 2003;20(Suppl 30):A-507.
5. C  
asati A, **Putzu M**. Anestetici locali a lunga e breve durata d'azione: il punto. *Minerva Anesthesiol* 2003;69(Suppl1):219-20.
6. B  
ergonzi PC, Fano G, Albertin A, **Putzu M**, Messina M, Casati A. Sevoflurane and

remifentanil requirements to prevent awareness in surgical anaesthesia without nitrous oxide. *Minerva Anesthesiol* 2004;70:537.

7.

C

Casati A, Zasa M, Baciarello M, **Putzu M**. Continuous peripheral nerve blocks: role of stimulating catheters. *Minerva Anesthesiol* 2006;72(Suppl1):284-6.

8.

C

Casati A, Zasa M, Baciarello M, **Putzu M**. Use of hyperbaric local anaesthetics during spinal anaesthesia. *Minerva Anesthesiol* 2006;72(Suppl1):415-7.

#### PRESENTAZIONI A CONVEGNI NAZIONALI ED INTERNAZIONALI

1. Casati A, **Putzu M**, Spreafico E. Walk-in and walk-out spinal anaesthesia. In: Rawal N, Van Zundert A Eds. *Highlight in regional anaesthesia and pain therapy*. Cyprint Ltd ed. 2003:16-19. XII.
2. Casati A, **Putzu M**. Unilateral spinal anaesthesia. In: Rawal N, Gligorijevic S Eds. *Highlight in regional anaesthesia and pain therapy*. XV Kenes Int ed. 2006:115-121.